

DARALHANDASA

FLOATING DOCKS



Sport and tourism uses



Corridors and concerts uses



Industrial and military uses



Pontoons & Connecting Pin



Pontoons are brought together so that the ears overlap in the middle



The pontoon number marks should read 1-2-3-4 counterclockwise



The connecting pin is placed in the middle of the ears and is firmly pushed in. The holes on the pin should be 45° with the pontoons joint line



With the help of the assembly key the pin is turned right or left to be parallel with the pontoons joint line

Side Screw & Spacer



The side screw is installed as in the picture on the ears which are left on the outside of the platform.



If there is a gap between the ears then spacers are placed according to the missing numbers on the pontoons. The picture on the left is showing pontoon ears with numbers 1-4 and 2 spacers are placed to fill the gap.

Mooring Pin



A rope is tied to the chain which will be afterwards tied to the mooring pin



With the help of the rope the chain is pulled up between the overlapping



The rope is then tied to the ring at the end of the mooring pin




Then the mooring pin is installed just like that connecting pin

Pontoons - Floating Docks > Technical specifications

Size	50 (L) X 50 (w) X 40 (h) cm
Weight	6,5kg/cube
Color	Blue & Grey are the standard colors Orange, Black, Beige are nonstandard colors We are able to produce any special colors ordered with a min volume
Surface	Slip resistanse No standing water on surface Resistant to saltwater, chemicals and acids High elas cresistance to boat impact and shocks Rounded edges, no sharp corners and connectings parts
Freeboard	39cm
Flota on Capacity	350Kg/m2 foe single layered use Can be used in mul layers
Wave Resistance	Flexible to resist waves up to 3m height
Maintenance	No maintenance needed
Algae Growth	Cleaning the modules every 3-6 months will clear algae growth
Installation	Modular, shape can be changed according to requirements any me
Environment	Environmentally friendly, no contamina on
Recyclability	100% recyclable, non recycled raw material is used
CE certefecate	Available
Tempera on Resistance	-40 / +70
UV Protection	UV resistance added
Raw Material	HDPE - High Density Polyethylene

Certificates


SERTİFİKA

Universal AG
Certification Services

Bu sertifika,
MER HARİTA DENİZCİLİK TURİZM SANAYİ ve TİCARET LİMİTED ŞİRKETİ
Postahane Mahallesi Dr. Rüştü Nuran Sokak No:2
Tuzla - İSTANBUL / TÜRKİYE


kuruluşunun,
POLİETİLEN YÜZER PLATFORM ÜRETİMİ ve SATIŞI

kapsamında, CA2.001388 sayılı rapordaki inceleme ile
DIN EN ISO 9001:2000
standartının şartlarına uyan bir yönetim sistemi
kurduğunu ve uyguladığını onaylamak üzere verilmiştir.

Sertifika No : QMS 0708 001348
Yayın Tarihi : 2008-07-29
Geçerlilik Tarihi : 2011-07-28

Frankfurt, 2008-07-29


Universal AG
Certification Services


International
Accreditation
Cooperation
Agency


Deutscher
Akademischer
TGA - ZM - 16-06-00

Universal AG Beethovenstraße 8-10 60325 Frankfurt a.M. Tel +49 (69) 977 878 40 Fax +49 (69) 977 878 50 info@uni-cert.de www.uni-cert.de

ISO 9001


SERTİFİKA

Universal AG
Certification Services

Bu sertifika,
**MER HARİTA DENİZCİLİK TURİZM SANAYİ ve TİCARET
LİMİTED ŞİRKETİ**
Postahane Mahallesi Dr. Rüştü Nuran Sokak No:2
Tuzla/İSTANBUL - TÜRKİYE

kuruluşunun,
**KENDİ TESİSLERİNDE ÜRETTİĞİ POLİETİLEN YÜZER
PLATFORMUN SATIŞI**

kapsamında, CA2.001388 sayılı rapordaki inceleme ile
DIN EN ISO 14001:2004
standartının şartlarına uyan bir yönetim sistemi
kurduğunu ve uyguladığını onaylamak üzere verilmiştir.

Sertifika No : EMS 0808 001348-1
Yayın Tarihi : 2008-08-25
Geçerlilik Tarihi : 2011-08-24

Frankfurt, 2008-08-25


Universal AG
Certification Services


International
Accreditation
Cooperation
Agency


Deutscher
Akademischer
TGA - ZM - 16-06-00

Universal AG Beethovenstraße 8-10 60325 Frankfurt a.M. Tel +49 (69) 977 878 40 Fax +49 (69) 977 878 50 info@uni-cert.de www.uni-cert.de

ISO 14001



DARALHANDASA

Engineers & Contractors

45, Mekias St., El Roda, Cairo

Phone: (+20) 012 2429037 - 012 4585888

Fax: (+202) 25318576

E-mail: INFO@DARALHANDASA.NET

WWW.DARALHANDASA.NET